L Number	Hits		DB	Time stamp
-	0	dana came ((one aa) armenerenar, nears	USPAT;	2004/04/22 15:18
		array) same (circular near3 array)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	queue same ((two adj dimensional) near3	USPAT;	2004/04/22 15:28
	1	(array or buffer)) same (circular near3	US-PGPUB;] =====================================
		(array or buffer))	EPO; JPO;	
		-	DERWENT;	
			IBM TDB	
-	1	(4 ((0 a.) a.monoronaz, noazo	USPAT;	2004/04/22 15:48
		(array or buffer)) same (circular near3	US-PGPUB;	
		(array or buffer))) and @ad<20010109	EPO; JPO;	
			DERWENT;	
	1	mana dimanai anali anana	IBM_TDB	0001/01/00 05 15
_		queue same ((two adj dimensional) near3 (array or buffer)) same circular	USPAT;	2004/04/22 15:47
		(array or burrer)) same circular	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	3	queue same dimensional near3 (array or	USPAT;	2004/04/22 15:48
		buffer) same circular	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(queue same dimensional near3 (array or	USPAT;	2004/10/05 09:16
		buffer) same circular) and @ad<20010109	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	809	,	USPAT;	2004/04/22 15:49
		circular	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	11	(dimensional near3 (array or buffer) same	USPAT;	2004/04/22 15:49
		circular) and queue	US-PGPUB;	2004/04/22 13.49
			EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
-	5	, , , , , , , , , , , , , , , , , , ,	USPAT;	2004/04/22 15:50
		circular) and queue) and @ad<20010109	US-PGPUB;	
			EPO; JPO;	1
		•	DERWENT;	
	654	tuo odi dimensional massa (IBM_TDB	0001/01/05 00 00
_	654	two adj dimensional near3 (array or buffer) same circular	USPAT;	2004/04/26 09:32
		Dame Cilculat	US-PGPUB; EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
-	654	(two adj dimensional) near3 (array or	USPAT;	2004/04/22 15:55
		buffer) same circular	US-PGPUB;	= 351, 51, 52 13.33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((two adj dimensional) near3 (array or	USPAT;	2004/04/22 15:50
		buffer) same circular) and (round adj robin)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;]
_	ا ۾	(((two adi dimensional) maara (IBM_TDB	2004/01/22 15 55
-		(((two adj dimensional) near3 (array or buffer) same circular) and (round adj	USPAT;	2004/04/22 15:53
		robin)) and @ad<20010109	US-PGPUB;	
		LODINI, and Gad/20010103	EPO; JPO;	
			DERWENT; IBM TDB	
_	4	(two adj dimensional) near3 (array or	USPAT;	2004/04/22 15:51
]	buffer) same circular same search	US-PGPUB;	2004/04/22 13:31
			EPO; JPO;	
			,,,	1
			DERWENT;	

-	449	((two adj dimensional) near3 (array or buffer) same circular) and @ad<20010109	USPAT; US-PGPUB;	2004/04/22 15:56
			EPO; JPO; DERWENT; IBM TDB	
-	183	((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or	USPAT; US-PGPUB;	2004/04/22 15:56
		buffer))	EPO; JPO; DERWENT;	
-	2	((two adj dimensional) near3 (array or buffer) same circular same search) and	IBM_TDB USPAT;	2004/04/26 09:19
		@ad<20010109	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	6	((two adj dimensional) near3 (array or buffer)) same circular same software	USPAT; US-PGPUB;	2004/04/26 09:33
		Sallely, Same effectal same software	EPO; JPO; DERWENT;	
-	3	(((two adj dimensional) near3 (array or	IBM_TDB USPAT;	2004/04/26 09:53
		buffer)) same circular same software) and @ad<20010109	US-PGPUB; EPO; JPO; DERWENT;	
_	1548	(buffer or queue) with generated with	IBM_TDB USPAT;	2004/04/26 09:51
		(software or program or application)	US-PGPUB; EPO; JPO; DERWENT;	
-	12	(buffer or queue) with generated with	IBM_TDB USPAT;	2004/04/26 09:38
		(software or program or application) with circular	US-PGPUB; EPO; JPO; DERWENT;	
-	6	((buffer or queue) with generated with (software or program or application) with	IBM_TDB USPAT; US-PGPUB;	2004/04/26 09:38
		circular) and @ad<20010109	EPO; JPO; DERWENT; IBM TDB	
-	123	(((two adj dimensional) near3 (array or buffer)) same (circular near3 (array or	USPAT; US-PGPUB;	2004/04/26 09:44
		buffer))) and @ad<20010109	EPO; JPO; DERWENT; IBM TDB	
-	2211164	(((two adj dimensional) near3 (array or buffer or queue)) same (circular near3	USPAT; US-PGPUB;	2004/04/26 09:45
		(array or buffer or queue)) same message or data) and @ad<20010109	EPO; JPO; DERWENT; IBM TDB	
-	11	(((two adj dimensional) near3 (array or buffer or queue)) same (circular near3	USPAT; US-PGPUB;	2004/04/26 09:45
		(array or buffer or queue)) same (message or data)) and @ad<20010109	EPO; JPO; DERWENT;	
-	333	(buffer or queue) near3 generated with (software or program or application)	IBM_TDB USPAT; US-PGPUB;	2004/04/26 09:51
		(1220.000 02 program of approacton)	EPO; JPO; DERWENT;	
-	333	((buffer or queue) near3 generated) with (software or program or application)	IBM_TDB USPAT; US-PGPUB;	2004/04/26 09:52
			EPO; JPO; DERWENT;	
-	1	((buffer or queue) near3 generated) with (software or program or application) same	IBM_TDB USPAT; US-PGPUB;	2004/04/26 09:53
		((two adj dimensional) near3 (array or buffer))	EPO; JPO; DERWENT; IBM TDB	

-	1	((buffer or queue) near3 generated) with	USPAT;	2004/04/26 09:53
		(software or program or application) same	US-PGPUB;	
		((two adj dimensional) near3 (array or	EPO; JPO;	
		buffer or queue))	DERWENT;	
_		(//huffer or group) nearly concreted) with	IBM_TDB	2004/04/26 00 52
-	1	(((buffer or queue) near3 generated) with (software or program or application) same	USPAT;	2004/04/26 09:53
		((two adj dimensional) near3 (array or	US-PGPUB; EPO; JPO;	
		buffer or queue))) and @ad<20010109	DERWENT;	
		barrer or queue, , , and Gad(2001010)	IBM_TDB	
-	5	(round adj robin) same (queue or buffer)	USPAT;	2004/10/04 14:49
i		same (message with ready)	US-PGPUB;	2001, 10, 01 11.19
		, ,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	((round adj robin) same (queue or buffer)	USPAT;	2004/10/04 15:26
	:	same (message with ready)) and @ad<20010109	US-PGPUB;	·
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	(round adj robin) same (queue or buffer)	USPAT;	2004/10/04 14:49
		same (ready with transmit)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	10	((round adj robin) same (queue or buffer)	IBM_TDB USPAT;	2004/10/04 14:49
	+3	same (ready with transmit)) and @ad<20010109	US-PGPUB;	~004/10/04 14:49
		same (ready with transmitty) and wad 20010109	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1460	(370/412).CCLS.	USPAT;	2004/10/05 09:08
			US-PGPUB;	, ,
			EPO; JPO;	į
			DERWENT;	
			IBM_TDB	
-	1438	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/10/05 09:11
		available) with (buffer or memory or queue)	US-PGPUB;	
		same message or data or block)	EPO; JPO;	
			DERWENT;	
	1437	((370/412).CCLS.) and ((indicat\$3 or stat\$2)	IBM_TDB USPAT;	2004/10/05 09:34
-	1437	same (free or empt\$3 or available) with	US-PGPUB;	2004/10/05 09:34
		(buffer or memory or queue) same message or	EPO; JPO;	
		data or block)	DERWENT;	
		duca or brock,	IBM TDB	·
_	1437	((370/412).CCLS.) and (search\$3 with (free	USPAT;	2004/10/05 09:18
	/	or empt\$3 or available) with (buffer or	US-PGPUB;	
		memory or queue) same message or data or	EPO; JPO;	
		block)	DERWENT;	
			IBM_TDB	
_	879	_ ,,,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	USPAT;	2004/10/05 09:18
		or empt\$3 or available) with (buffer or	US-PGPUB;	
		memory or queue) same message or data or	EPO; JPO;	
		block)) and @ad<20010109	DERWENT;	
_	10	((370/412).CCLS.) and (search\$3 with (free	IBM_TDB USPAT;	2004/10/05 10:18
] -		or empt\$3 or available) with (buffer or	US-PGPUB;	2004/10/05 10:18
		memory or queue) same (message or data or	EPO; JPO;	
		block))	DERWENT;	
	-		IBM TDB	
-	6	(((370/412).CCLS.) and (search\$3 with (free	USPAT;	2004/10/05 09:50
		or empt\$3 or available) with (buffer or	US-PGPUB;	
	1	memory or queue) same (message or data or	EPO; JPO;	
		block))) and @ad<20010109	DERWENT;	
			IBM_TDB	
-	373	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/10/05 09:35
		same (free or empt\$3 or available) with	US-PGPUB;	
	1	(buffer or memory or queue) same (message or	EPO; JPO;	
		data or block))	DERWENT;	
L	<u> </u>		IBM_TDB	<u> </u>

-	244	(((370/412).CCLS.) and ((indicat\$3 or	USPAT;	2004/10/05 09:49
		stat\$2) same (free or empt\$3 or available) with (buffer or memory or queue) same	US-PGPUB; EPO; JPO;	
		(message or data or block))) and	DERWENT;	
		@ad<20010109	IBM TDB	
-	70		USPAT;	2004/10/05 09:49
		or locat\$2) with (free or empt\$3 or	US-PGPUB;	
1		available) same (buffer or memory or queue)	EPO; JPO;	
		same (message or data or block or packet))	DERWENT;	
		(((270/412) COLO) and ((IBM_TDB	5554/55/55 45 55
-	60	(((370/412).CCLS.) and ((search\$3 or find\$3 or locat\$2) with (free or empt\$3 or	USPAT;	2004/10/05 10:07
		available) same (buffer or memory or queue)	US-PGPUB; EPO; JPO;	
		same (message or data or block or packet)))	DERWENT;	
		not (((370/412).CCLS.) and (search\$3 with	IBM TDB	
		(free or empt\$3 or available) with (buffer		
		or memory or queue) same (message or data or		
,		block)))	1	
] -	44		USPAT;	2004/10/05 10:09
		or locat\$2) with (free or empt\$3 or	US-PGPUB;	
		available) same (buffer or memory or queue)	EPO; JPO;	
		same (message or data or block or packet))) not (((370/412).CCLS.) and (search\$3 with	DERWENT; IBM TDB	
		(free or empt\$3 or available) with (buffer	IBM_IDB	
		or memory or queue) same (message or data or		
		block)))) and @ad<20010109		
-	1130		USPAT;	2004/10/05 09:58
		with (buffer or memory or queue) same	US-PGPUB;	
		(message or data or block))	EPO; JPO;	
			DERWENT;	
	1130	//coarght2 with /from or omatt2 or	IBM_TDB	2004/10/05 10 00
-	1130	((search\$3 with (free or empt\$3 or available) with (buffer or memory or queue)	USPAT; US-PGPUB;	2004/10/05 10:08
		same (message or data or block))) not	EPO; JPO;	
		((((370/412).CCLS.) and ((search\$3 or find\$3	DERWENT;	
		or locat\$2) with (free or empt\$3 or	IBM_TDB	
1		available) same (buffer or memory or queue)	_	
		same (message or data or block or packet)))		
		not (((370/412).CCLS.) and (search\$3 with		
		(free or empt\$3 or available) with (buffer or memory or queue) same (message or data or		
		block))))		
_	811		USPAT;	2004/10/05 10:18
		available) with (buffer or memory or queue)	US-PGPUB;	2001, 20, 03 20.20
		same (message or data or block))) not	EPO; JPO;	
		((((370/412).CCLS.) and ((search\$3 or find\$3	DERWENT;	
1		or locat\$2) with (free or empt\$3 or	IBM_TDB	
1.	}	available) same (buffer or memory or queue)		
		same (message or data or block or packet))) not (((370/412).CCLS.) and (search\$3 with		
		(free or empt\$3 or available) with (buffer		
		or memory or queue) same (message or data or		
		block))))) and @ad<20010109		
-	2132	((710/52) or (710/53) or (710/54) or	USPAT;	2004/10/05 10:17
	1	(710/55) or (710/56) or (710/57)).CCLS.	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
_	29	(((710/52) or (710/53) or (710/54) or	IBM_TDB USPAT;	2004/10/05 10:18
		((10/52) of (10/53) of (10/54) of (710/55) or (710/56) or (710/57)).CCLS.) and	US-PGPUB;	2004/10/02 10:18
		(search\$3 with (free or empt\$3 or available)	EPO; JPO;	
		with (buffer or memory or queue) same	DERWENT;	
		(message or data or block))	IBM_TDB	
-	23		USPAT;	2004/10/05 10:25
		(710/55) or (710/56) or (710/57)).CCLS.) and	US-PGPUB;	
		(search\$3 with (free or empt\$3 or available)	EPO; JPO;	
		with (buffer or memory or queue) same (message or data or block))) and	DERWENT;	
]	@ad<20010109	IBM_TDB	
	L		L	L

-	3541	(((710/52) or (710/53) or (710/54) or	USPAT;	2004/10/05 10:25
		(710/55) or (710/56) or (710/57)).CCLS.) or	US-PGPUB;	
		((370/412).CCLS.)	EPO; JPO;	
		,	DERWENT;	,
			IBM TDB	